



Demanding professional

Strive to create quality

Catalog

2025

About KLCB

KLCB is a premium brand exclusively distributed by BMB Autocare Ltd in New Zealand & Australia. The brand dedicated to providing cutting-edge, stylish, professional-grade car care products. We are committed to providing precise car care services that combine advanced technology with industry expertise to enhance the quality and aesthetics of car care. We understand that exceptional car care products need to quality as well as look great, which is why we have become the trusted choice of car enthusiasts and professionals.

01

TOP-SELLING PRODUCT

A9 High - Gloss Ceramic Foam Shampoo	6
A4 Wheel Cleaner	9
A4Pro Enhanced Wheel Cleaner	10
A6 Total Interior Cleaner	13
B7 Quick Ceramic Coating	14
A12 Water Spot Remover Gel	17
A14 Glass Polishing Compound	18
B9 3in1 Clean Shine Wax	21

02

DIY PRODUCT

Exterior	24
Shine	30
Exterior Protect	32
Interior	34
Interior Protect	36
Glass	38
Glass Protect	42
Wheel	44
Tyre Protect	46
Polishing	48

03

COMMERCIAL PRODUCT

Exterior	52
Interior	58
Wheel	60
Glass	62
Tyre Protect	64
Accessory	65

04

TOOLS

Towels & Gloves	69
Interior Brushes	74
Exterior Brushes	75
Wheel & Tyre Cleaning Brushes	76
Tyre Wax Brushes	78
Pads	80
Bottle & Container	84
Guns	90

05

EQUIPMENTS

Multifunction System	100
Polishing Machine	106
Power Machine	112

06

OTHERS

Pegboard	124
Others	126
Lighting Series	130
Plastic Floor Series	134



01

TOP-SELLING PRODUCT



A9 High - Gloss Ceramic Foam Shampoo

It combines cleaning and ceramic coating ingredients to provide an exceptional car wash solution. In addition to deep cleaning the surface, it does not corrode waxed. The ceramic coating ingredient creates a hydrophobic glossy coating that effectively prevents dirt from adhering to the surface. While powerfully cleaning, it also quickly boosts the gloss of the surface and brings longer-lasting protection to the surface.



Item No: CP-CW-A9-06

Instructions

1. Mix the detergent to the desired ratio, pour it into a PA Foam Cannon, and shake well.
2. Use a water blaster to spray foam evenly over the vehicle.
3. Gently clean the surface with a wash mitt or sponge.
4. Rinse off all foam thoroughly using a water blaster.

Dilution Ratios

- PA Foam Cannon: 1:8
- Water Bucket: 1:200







A4 Wheel Cleaner

This product features a gentle, pH-neutral formula that effectively breaks down both lipidbased and non-lipid contaminants (excluding tar and iron). It quickly dissolves stubborn grime, effortlessly removing dirt, grease, and road residue from tire surfaces. While delivering deep cleaning power, it remains safe on rubber, preventing cracking and aging. It also nourishes the tire, restoring its natural deep black shine for a long-lasting, like-new appearance.



Item No: CP-CW-A4-06

Instructions

1. Spray the solution onto the surface where adhesive removal is needed.
2. Allow it to sit for 2-3 minutes to dissolve the adhesive.
3. Use a tire brush to scrub the tire surface for a thorough clean.
4. Rinse thoroughly with clean water.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.





A4 PRO Enhanced Wheel Cleaner

This product features a alkaline formula with exceptional cleaning power, quickly dissolving stubborn dirt, grease, and mud from tires, wheels, and rims. It effectively removes yellowing and restores the natural rubber shine of tires while leaving wheels looking like new. The 2-in-1 design eliminates the need for separate products—one bottle is all you need for comprehensive tire and wheel cleaning, delivering professional-grade deep-cleaning results. Additionally, this formula is safe for use all wheel and caliper surfaces, ensuring a thorough yet gentle clean without causing damage.



Item No: CP-CW-A4P-06

Instructions

1. Evenly spray A4PRO onto the surface of the tire.
2. Use a tire brush to scrub the tire surface for a thorough clean.
3. Rinse off the dirt and residue with a pressure washer.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



KILLER

PINEAPPLE FRAGRANCE

**ENHANCED
WHEEL CLEANER**

600ML

**ENHANCED
WHEEL CLEANER**

KILLER



A6 Total Interior Cleaner

This 5x concentrated, pH-neutral cleaner is gentle on surfaces and efficiently dissolves stains. Without causing any harm to upholstery or trim, it safely cleans leather, Alcantara, plastics, and fabric fibers. It also contributes to the air inside the automobile being freshened, creating a tidy and cozy atmosphere.



Item No : CP-CW-A6-06

Instructions

1. Spray on the stained area and let it dissolve.
 2. Scrub the interior with an interior soft brush.
 3. Wipe clean with a cloth.
- The product can be used straight away and doesn't need to be diluted.

Dilution Ratios



0

1

2

3

4

5

6

7

8

9

10

11

12

13

14



B7 Quick Ceramic Coating

It significantly enhances the paint surface's gloss and hydrophobic qualities. It efficiently stops water and dust stains from sticking by creating a smooth protective coating. Additionally, this protective layer offers outstanding anti-fouling qualities that successfully prevent oxidation, prolong the paint's luster and cleanliness, and lessen the need for frequent car washes. (Wet application)

Restricted Area: not suitable on matt color.



Item No: CP-CW-B7-06

Instructions

1. There is no need to dry your vehicle after washing it.
2. Spray the solution on the wet automobile paint surface.
3. Wipe with a clean glove, rinse, and dry with water.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.





A12 Water Spot Remover Gel

Strong stains on car glass, painted surfaces, transparent coatings, tinted films, and other materials can be thoroughly cleaned with this solution's potent acidic mix. Restoring clean, smooth surfaces with just a water rinse makes it easier to use. It rapidly and efficiently removes water spots, stains, and streaks brought on by acid rain and sun exposure. Despite its cleaning ability, the mixture is safe to use and, properly followed, won't harm surfaces.



Item No : CP-CW-A12-06

Instructions

1. Before cleaning, apply the product onto a sponge, cloth, or detailing brush.
2. Rinse thoroughly with clean water immediately after cleaning (for stubborn stains, repeat cleaning).

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



0

1

2

3

4

5

6

7

8

9

10

11

12

13

14



A14 Glass Polishing Compound

Upgraded from traditional glass polishing powder, this product offers a safe, non-damaging application. With 12,000-mesh ultra-fine abrasives, it removes stains, oil film, water spots, scale, resin, and coating residue. It also polishes and restores glass, reducing fine scratches, swirl marks, and sun patterns for a crystal-clear finish.



Item No : CP-CC-A14-150

Instructions

1. Thoroughly clean and damp the glass surface before to application (use water to prevent drying).
2. Shake well before use.
3. Smooth the polish agent onto the surface until it does not spread.
4. Rinse the polish agent completely with water.





B9 3in1 Clean Shine Wax

Provides a 3-in-1 solution for stain removal, waxing, and water repellency (lotus effect). Stain Remover Wax includes mild stain remover particles that successfully remove tough stains like oxidized layers of paint and limescale without causing damage to the paintwork. Removes some tenacious stains from the paintwork when waxing and does not require further rinses.



Item No: CP-CW-Z19-015

Instructions

1. Squeeze the product on the sponge
2. Wipe the stained area multiple times.
3. Use a towel to wipe clean.



02



DIY PRODUCT



EXTERIOR clean



A1 Snow Foam Car Wash Shampoo

This solution combines strong stain removal with paint moisturization to give your car a rapid shine. Anti-static ingredients help to remove static dust. Rich, dense foam improves lubricity, increases hang time, and minimizes small lines when wiping. The recipe is mild and neutral, making it kinder on the skin.

Item No : CP-CW-A1-06



Instruction

1. Mix the detergent according to the desired ratio, pour it into the PA Foam Cannon, and shake well.
2. Use a water blaster to spray foam evenly over the vehicle.
3. Clean the surface with a car wash mitt or sponge.
4. Rinse off all foam thoroughly using a water blaster.

Dilution Ratios

- PA Foam Cannon: 1:20
- Water Bucket: 1:500



A1 PRO Hyper-Concentrated Car Wash Shampoo

With an improved water-based emulsified cleansing formula and a higher concentration ratio for greater cleansing power and richer lather, A1pro improves on A1. Its special glazing ingredients give it a glossy finish that resembles a mirror. The increased concentration ratio also significantly lowers agent consumption.

Item No: CP-CW-A1P-06



Instruction

1. Mix with water at the desired ratio and pour into a PA foam bottle.
2. Shake well, then spray foam using a water blaster.
3. Gently wash the car with a wash mitt or sponge.
4. Rinse thoroughly with a water blaster to remove all foam.

Dilution Ratios

- PA Foam Cannon: 1:35 - 1:50
- Water Bucket: 1:1000





Instruction

1. Dilute the cleaner to the required ratio and pour it into a PA Foam Cannon.
2. Shake well, then use a water blaster to spray foam evenly over the car.
3. Let it sit for about 2 minutes to soften and lift dirt naturally.
4. Rinse thoroughly with a water blaster to remove all foam and leave the paint looking fresh.

Dilution Ratios

- PA Foam Cannon: 1:10
- Hand pressure sprayer: 1:300

A2 Pre - Wash Snow Foam

This product with its exceptional long-lasting cling qualities and penetrates deeply to dissolve any remaining impurities on the surface and rapidly softens tough dirt, dust, and mud. Because of its balanced density, the foam doesn't clump or slip, guaranteeing uniform coverage of every detail. Rinsing effectively removes large particles that have adhered to the surface, reducing scratches during the washing process.

Item No: CP-CW-A2-06



Instruction

1. Spray onto the surface of the stain or onto the detail brush.
2. Brush the stain with a detail brush.
3. Rinse the potion off with water.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

A3 Heavy - Duty Cleaner

Neutral triple-concentrated cleaning formula, quickly removes dirt without damaging car paint or plastic parts. This product is a brand-new, potent all-purpose cleaner that can be used in RVs, cars, boats, and homes. Grease, surface stains, and stubborn stains can all be successfully removed with it. It works well for cleaning a variety of surfaces, including hand tools, tires, motors, carpets, and extremely dirty automotive paint. A3 has better cleaning power compared with A10 .

Item No: CP-CW-3-06



A5 Iron Remover

A5 cleans deeper than washing or claying alone by forming a water-soluble complex with iron particles that are stuck to the surface and allowing them to be rinsed off. It can be applied to wheels, paint and plastic. The chromogenic agent provides real-time indication for complete removal of ferrous particulates.

Item No: CP-CW-A5-06



Instruction

1. Spray on and wait 30 seconds.
2. After dissolution, there will be a noticeable flow of purple liquid.
3. Rinse thoroughly to clean.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



A7 Asphalt Remover (Tar Remover)

The oil-based emulsified cleaning formula effectively removes asphalt and oil stains from the car body. It reacts quickly with tar and asphalt, providing fast and efficient cleaning that saves time and effort.

Item No: CP-CW-A7-06



Instruction

1. Spray onto the areas with tar and asphalt residue, wait for 2-3 minutes to dissolve it.
2. After dissolution, black liquid may flow out.
3. Wipe clean with a clean towel, then rinse with water for final cleaning.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.





Instruction

1. Spray the solution onto the area with bug residue or bird droppings that needs cleaning.
2. Allow it to sit for 2-3 minutes to dissolve the stains.
3. Wipe the area with a clean towel.
4. Finally, rinse thoroughly with clean water.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

A8 Shellac Remover (Bug Remover)

This product softens and gets rid of tree resin, bug residue, and birdshot. Stubborn residue is broken down by sophisticated surfactants.

Item No: CP-CW-A8-06



Instruction

1. Mix the detergent to the desired ratio, pour it into a PA Foam Cannon, and shake well.
2. Use a water blaster to spray foam evenly over the vehicle.
3. Gently clean the surface with a wash mitt or sponge.
4. Rinse off all foam thoroughly using a water blaster.

Dilution Ratios

- PA Foam Cannon: 1:8
- Water Bucket: 1:200

A9 High - Gloss Ceramic Foam Shampoo

It combines cleaning and ceramic coating ingredients to provide an exceptional car wash solution. In addition to deep cleaning the surface, it does not corrode waxed. The ceramic coating ingredient creates a hydrophobic glossy coating that effectively prevents dirt from adhering to the surface. While powerfully cleaning, it also quickly boosts the gloss of the surface and brings longer-lasting protection to the surface.

Item No: CP-CW-A9-06





A10 All Purpose Cleaner

This all purpose cleaner is better for a range of exterior uses. It provides a thorough clean without leaving any residue behind by swiftly dissolving tough grease and grime. Its pH-neutral formulation is safe for surfaces and works well on rubber, door seals, engines, and car exteriors. A10 provides more usage scenarios and a kinder cleaning formula compared with A3.

Instruction

1. Spray onto the surface that needs cleaning.
2. Gently scrub with a detail brush for deep cleaning.
3. Use a clean towel to wipe off or rinse with water to remove residue.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Item No: CP-CW-A10-06



A13 Degreaser

The surface degreaser is an important pre-treatment for coating, polishing, and wrapping because it rapidly removes excess oil and wax from automotive surfaces. In addition to efficiently dissolving oil and impurities, its pH-neutral A13 formula serves as a conditioner for microfiber towels and restoring the softness of the fibers.

Instruction

After completing the paint treatment, spray this product onto the car paint surface. Allow the oil stains to naturally emulsify, then wipe clean with a soft towel. For areas not suitable for direct spraying, spray onto the towel first and wipe the surface, then wash the towel thoroughly and wring dry. Finally, wipe the surface again with a damp towel.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Item No: CP-CW-A13-06



C1 Clay Luber

Typically used with polishing clay (also known as paint cleaning clay or clay bar). Polishing clay effectively removes oxidation layers, tree sap, overspray, industrial contaminants, and more from the car's paint surface. During use, a lubricant is required to minimize friction between the clay and the paint surface, preventing scratches or damage to the finish.

Instruction

1. Spray this agent on the surface of the car paint.
2. Use polishing clay for cleaning.
3. Wash off the stains after used.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Item No: CP-CW-C1-06



SHINE

Instruction

1. There is no need to dry your vehicle after washing it.
2. Spray the solution on the wet automobile paint surface.
3. Wipe with a clean glove, rinse, and dry with water.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



B7 Quick Ceramic Coating

It significantly enhances the paint surface's gloss and hydrophobic qualities. It efficiently stops water and dust stains from sticking by creating a smooth protective coating. Additionally, this protective layer offers outstanding anti-fouling qualities that successfully prevent oxidation, prolong the paint's luster and cleanliness, and lessen the need for frequent car washes. (Wet application)

Restricted Area: not suitable on matt color.

Item No: CP-CW-B7-06



Apply on a dry surface.

Instruction

1. After cleaning and drying the car, evenly apply B7 Pro on the surface.
2. Use a clean towel to wipe the surface evenly until it dry.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



B7 PRO High - Gloss Drying Aid Sprayer

The product creates an antifouling and hydrophobic layer (lotus effect) on the surface , protecting it from ageing, dirt and UV radiation, as well as from water spot. A simple spraying and wiping operation ensures a shiny, long-lasting paint surface, while also greatly improving the hydrophobicity and stain resistance.

Restricted Area: not suitable on matt color.

Item No: CP-CW-B7P-06



Instruction

1. Wash and dry the bodywork to ensure that no dust remains on the surface.
2. Squeeze the agent onto a waxing sponge and spread it evenly over the surface of the car.
3. Allow to dry for 5-10 minutes after application.
4. Wipe gently with a waxing towel until the paint is shiny and clear.

**B4 Nano Ceramic Coating**

This product adopts small molecule nano-coating technology, quickly forming a strong hydrophobic layer, effectively preventing acid rain, water erosion of the car paint. After coating, the gloss of the paint surface is doubled, the touch feeling is silky smooth, and it enhances the antifouling property, reduces the adhesion of dirt, and slows down the aging of the paint at the same time. The new wax-free coating formula does not contain wax flakes, and it is easy to create a 3D water repellent effect, and drops of water become beads for long-lasting protection of the paint surface. The liquid texture ensures even coverage of the coating, gentle care, so that the car glows with a long-lasting luster.

Item No: CP-CW-B4-06

**Instruction**

1. Squeeze the product on the sponge
2. Wipe the stained area multiple times.
3. Use a towel to wipe clean.

**B9 3in1 Clean Shine Wax**

Provides a 3-in-1 solution for stain removal, waxing, and water repellency (lotus effect). Stain Remover Wax includes mild stain remover particles that successfully remove tough stains like oxidized layers of paint and limescale without causing damage to the paintwork. Removes some tenacious stains from the paintwork when waxing and does not require further rinses.

Item No: CP-CW-Z19-015



EXTERIOR PROTECT



F1 Angel Wax - 100g

With anti-yellowing agent, it is suitable for light-colored paint and PPF, making the bodywork brighter and smoother and improving the overall appearance. It also protects against oxidation, UV damage and pollutants, and reduces the adhesion of water and dirt. Fills in minor scratches. Protects against acid rain, birdshot and other paint-related damage. Prevents dust buildup and keeps bodywork clean. Regular waxing protects your car paint.

Ingredients: F1 Angel wax contains 38% carnauba wax.

Instruction

1. Apply an adequate amount of wax on the waxing sponge and apply it evenly across the surface of the car paint.
2. Apply the wax in circles or in a vertical and horizontal pattern.
3. Use a towel to remove the wax after 3-5 mins.

Item No : CP-CC-F1



F2 Devil Wax - 100g

F2 has a higher carnauba wax content compared to F1 and is suitable for darker colored paints and car films, giving a brighter and smoother finish and improving the overall appearance. It also protects against oxidation, UV damage and pollutants and reduces water and dirt adhesion. Fills minor scratches. Protects against acid rain, birdshot and other paint-related damage. Prevents dust buildup and keeps the body clean. Regular waxing protects your car paint.

Ingredients: F2 Devil wax contains 48% carnauba wax.

Instruction

1. Apply an adequate amount of wax on the waxing sponge and apply it evenly across the surface of the car paint.
2. Apply the wax in circles or in a vertical and horizontal pattern.
3. Use a towel to remove the wax after 3-5 mins.

Item No : CP-CC-F2



B5 Car Film Protectant

This product adopts neutral maintenance formula, forming an efficient protective barrier on the surface of the car coat, effectively resisting external erosion, preventing acid rain, ultraviolet rays and stains on the damage to the car coat, prolonging the service life and slowing down oxidation yellowing. With anti-aging, corrosion-resistant properties, while enhancing the smoothness and brightness of the car coat, so that the body to maintain a long-lasting clean and shiny, as new luster.

Restricted Area: not suitable on matt color.

Instruction

1. Clean the surface and remove excess water.
2. Shake well and spray evenly over the surface.
3. Wipe repeatedly with a clean towel until dry.

Item No: CP-CW-B5-06





Plastic Coating - 50ml

This product is designed specifically for plastic and rubber parts, leveraging its unique permeate and film-forming capabilities. It nourishes and preserves plastic and rubber components, maximizing their gloss and extending their lifespan. Key features include:

- Anti-stain and anti-mildew properties
- UV resistance
- Crack prevention
- Delayed aging

Instruction

1. Clean the plastic parts to be coated thoroughly.
2. Apply this product onto a microfiber cloth using a sponge applicator.
3. Evenly spread the product on the plastic parts with the sponge and microfiber cloth.
4. After application, let the coated area air-dry naturally for 5-10 minutes.

Item No: CP-CC-Z04-005



9H Ceramic Coating

9H Ceramic Coating provides long-lasting protection (1 year) against scratches, debris, UV rays and reduces paint oxidation and fading. Its superior hydrophobicity prevents water and dirt from adhering, keeping the surface clean and shiny. The coating is suitable for all paint colors and car films, delivering the ultimate shine and mirror effect. Professional-grade formula is simple to use and leaves your car looking new and long-lasting!

Instruction

1. Thoroughly clean and dry the paint.
2. Remove tar and oxidation from the surface (polish if the paint is in poor condition).
3. Degrease the paintwork thoroughly using a degreaser.
4. Shake well and apply the coating solution onto a clean coating towel and use it with a coating sponge, applying it evenly to the surface of the car in a cross pattern.
5. Wait 30 mins to 1 hour after application, then wipe off with a clean towel (shorten the wiping time when the temperature rises).

Item No: CP-PO-P13-003/ CP-PO-P13-005



K3 Ceramic Coating

K3 ceramic coating has excellent anti-fouling and anti-corrosion properties; it can build a hard transparent glass film layer on the paint surface, significantly increasing the hardness of the surface. One of the major benefits of K3 ceramic coating is that it may keep the film layer's capacity to splash 80% of the water for 24 months. Can be used for paint, PPF, is for a variety of automobile environments, and the formation of car paint protection layer. K3 ceramic coating has a three to five times longer protection time than car wax.

Instruction

1. Thoroughly clean and dry the paint.
2. Remove tar and oxidation from the surface (polish if the paint is in poor condition).
3. Degrease the paintwork thoroughly using a degreaser.
4. Shake well and apply the coating solution onto a clean coating towel and use it with a coating sponge, applying it evenly to the surface of the car in a cross pattern.
5. Wait 5-10 minutes after application, then wipe off with a clean towel (shorten the wiping time when the temperature rises).

Item No: CP-CC-K3



INTERIOR clean





A6 Total Interior Cleaner

This 5x concentrated, pH-neutral cleaner is gentle on surfaces and efficiently dissolves stains. Without causing any harm to upholstery or trim, it safely cleans leather, Alcantara, plastics, and fabric fibers. It also contributes to the air inside the automobile being freshened, creating a tidy and cozy atmosphere.



Item No: CP-CW-A6-06

Instructions

1. Spray on the stained area and let it dissolve.
2. Scrub the interior with an interior soft brush.
3. Wipe clean with a cloth.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

INTERIOR PROTECT

Instruction

1. Squeeze the care solution onto a waxing sponge and apply evenly to the leather surface.
2. Wipe up excess solution residue with a clean towel.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



B2 Leather Conditioner

This water-based product moisturizes leather, making them naturally glossy while remaining non-toxic and safe. It contains Dow Corning emulsified silicone oil, white oil, surfactants, glycerin, and deionized water to provide effective and gentle care.

Item No: CP-CW-B2-06



Instruction

1. Squeeze the care solution onto a waxing sponge and apply evenly to the treated leather.
2. Wipe up excess solution residue with a clean towel.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



B3 Plastic Shine and Protectant

Cleans and polishes plastic surfaces, improving their look and effectively eliminating white wax residue from car body components. Protects plastic parts from ageing and damage, keeping them shiny and clean.

Item No: CP-CW-B3-06



Instruction

1. Apply this product onto a sponge wipe and evenly to interior panels and leather surfaces.
2. Wipe with a clean towel to remove excess residue.



B10 Interior Protectant & Conditioner

This product adopts water-based mild formula, which can effectively enhance the gloss of interior panels and leather, and form a layer of invisible water-based protective film on the surface, deeply nourish the material to prevent whitening and aging. Rich in natural plant extracts, the formula effectively isolates moisture and mold, preventing mildew and maintaining a clean and fresh interior for an extended period of time.

Item No: CP-CC-B10-005



Instruction

1. Shake well before use.
2. Apply the foam onto required area.
3. Rub repeatedly over the area with interior brush until the stain is removed.
4. Use a clean towel to remove any remaining.




Multipurpose Interior Foaming

This product is designed for interiors, set of deep cleaning and antibacterial and antimicrobial in one, can effectively remove stains, while inhibiting the growth of bacteria, to maintain a clean and sanitary environment in the car. The rich foam, waterless cleaning, neutral and gentle formula, and natural plant extracts make stains remove easily without any damaging while also deeply nourishing the leather.

Item No: CP-CC-Z05-022



GLASS
clean





C2 Glass Cleaner

This solution contains a grease solvent and surfactants that help to quickly remove grease stains and other residues from glass. Improves glass cleaning performance, clarity, and driving visibility.

Instruction

1. Spray the appropriate amount on the require area.
2. Use a clean glass towel to clean it.

Item No: CP-CW-C2-06



C4 Glass Anti-Fog

This solution is specifically made to keep the glass from fogging, enhance eyesight clarity, and safeguard driving safety. several uses, such as helmet goggles, mirrors, windscreens and washroom mirrors. Condensation can preserve the anti-fogging effect and effective protection of car glass even in the winter, allowing for clearer, more transparent vision.

Instruction

1. Clean the glass
2. Spray the agent on the interior surface of the glass and wipe evenly
3. Air dry the surface
4. Wipe the streak if required

Item No: CP-CW-C4-06



A11 Sticker Remover

This product easily removes stubborn dirt without causing damage to surfaces by effectively dissolving sticker residues, such as stickers, decals, and films. With a neutral formula, A11 cleanses gently but effectively without irritating the skin.

Instruction

1. Spray the solution onto the surface where sticker removal is required.
2. Allow it to sit for 2-3 minutes to dissolve the adhesive.
3. Use a towel to clean the area.

Item No: CP-CW-A11-06



A12 Water Spot Remover Gel

Strong stains on car glass, painted surfaces, transparent coatings, tinted films, and other materials can be thoroughly cleaned with this solution's potent acidic mix. Restoring clean, smooth surfaces with just a water rinse makes it easier to use. It rapidly and efficiently removes water spots, stains, and streaks brought on by acid rain and sun exposure. Despite its cleaning ability, the mixture is safe to use and, properly followed, won't harm surfaces.



Item No: CP-CWA12-06

Instructions

1. Before cleaning, apply the product onto a sponge, cloth, or detailing brush.
2. Rinse thoroughly with clean water immediately after cleaning (for stubborn stains, repeat cleaning).

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.





A14 Glass Polishing Compound

Upgraded from traditional glass polishing powder, this product offers a safe and easy application without damaging the vehicle. Featuring 12,000-mesh ultra-fine abrasive particles, it effectively removes stubborn stains, oil film, water spots, scale, resin, and coating residue from glass surfaces. Additionally, it provides glass scratch polishing and restoration, reducing fine scratches, swirl marks, and sun patterns for a clearer, more polished finish.



Item No : CP-CC-A14-150

Instructions

1. Thoroughly clean and damp the glass surface before to application (use water to prevent drying).
2. Shake well before use.
3. Smooth the polish agent onto the surface until it does not spread.
4. Rinse the polish agent completely with water.

GLASS PROTECT

Windscreen Fluid

Concentrated windscreen wash preserves wiper blades, minimizing deterioration and damage and extending their lifespan while rapidly eliminating oil, bird droppings, and stains from windshields.

Instruction

1. Squeeze the bottle until the windscreen agent flows into a 30ml measuring cup.
2. Pour water into the car wiper tank at a 1:100 ratio.

Item No: CP-CC-Z02R-025





Glass Coating - 30ml

The coated layer not only forms a transparent protective layer to keep sand and stones from scratching the glass, but it also improves the clarity and smoothness of the surface. The glass coating is super hydrophobic when the vehicle speed reaches 45km/h or higher, water droplets automatically slide off, improving visibility and safety while driving on rainy days, with long-lasting protection (90-180 days).

Instruction

1. After removing any oil film or other stains, dry the glass.
2. Shake well and apply it to the coating sponge and the coating towel.
3. Evenly spread both horizontally and vertically across the glass surface, then wait 5-10 mins.
4. Wipe the glass with a clean towel.

Item No: CP-PO-P13-003



WHEEL clean



**Instructions**

1. Spray the solution onto the surface where adhesive removal is needed.
2. Allow it to sit for 2-3 minutes to dissolve the adhesive.
3. Use a tire brush to scrub the tire surface for a thorough clean.
4. Rinse thoroughly with clean water.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

A4 Wheel Cleaner

This product features a gentle, pH-neutral formula that effectively breaks down both lipid-based and non-lipid contaminants (excluding tar and iron). It quickly dissolves stubborn grime, effortlessly removing dirt, grease, and road residue from tire surfaces. While delivering deep cleaning power, it remains safe on rubber, preventing cracking and aging. It also nourishes the tire, restoring its natural deep black shine for a long-lasting, like-new appearance.

Item No: CP-CW-A4-06

**Instructions**

1. Evenly spray A4PRO onto the surface of the tire.
2. Use a tire brush to scrub the tire surface for a thorough clean.
3. Rinse off the dirt and residue with a pressure washer.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

A4PRO Enhanced Wheel Cleaner

This product features alkaline formula with exceptional cleaning power, quickly dissolving stubborn dirt, grease, and mud from tires, wheels, and rims. It effectively removes yellowing and restores the natural rubber shine of tires while leaving wheels looking like new. The 2-in-1 design eliminates the need for separate products—one bottle is all you need for comprehensive tire and wheel cleaning, delivering professional-grade deep-cleaning results. Additionally, this formula is safe for use all wheel and caliper surfaces, ensuring a thorough yet gentle clean without causing damage.

Item No: CP-CW-A4P-06





TYRE PROTECT



B1 Extra Glossy Tire Shine

This oil-based tire shine, keeping it black and glossy for longer, while reducing ageing and cracking to extend its lifespan. The organic molecular protection layer withstands extreme temperatures, shielding against acid rain, dirt, and grime for long-lasting defiance. With a non-greasy, non-yellowing, and fresh texture, it provides up to 1 month of protection, ensuring your tires maintain a healthy shine.

Instruction

1. Clean and dry tires before using.
2. The agent should be squeezed onto the waxing sponge.
3. Make sure the tire surface is completely covered by applying the sponge evenly.
4. Just let it air dry naturally.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Item No: CP-CC-B1-06



B6 Ceramic Tire Dressing

This oil-based ceramic tire dressing creates a high-performance protective layer on the tire surface that guards against UV radiation, oxidation, and cracking. B6 compare with B1 offers longer-lasting gloss and superior hydrophobic properties, while also withstanding reducing damage from acid rain and dirt. It helps prevent ageing and hardening, delivering up to 3 months of durable protection.

Instruction

1. Mix the detergent according to the desired ratio, pour it into the PA Foam Cannon, and shake well.
2. Use a high-pressure washer to spray foam evenly over the vehicle.
3. Clean the surface with a car wash mitt or sponge.
4. Rinse off all foam thoroughly using a high-pressure washer.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Item No: CP-CC-B6-06



B8 Tire Coating Wax

This water-based tire coating wax is high in silicone resin and glycerin, has cooling and moisturizing properties and can delay aging and resist oxidation. It creates a non-greasy protective layer that lasts for up to 2 weeks by penetrating deeply into the rubber surface and giving it a glossy finish.

Instruction

1. Clean and dry tires before using.
2. The agent should be squeezed onto the waxing sponge.
3. Make sure the tire surface is completely covered by applying the sponge evenly.
4. Just let it air dry naturally.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Item No: CP-CC-B8-06



POLISHING series



No.1 Polishing Compound- Coarse Polishing

No.1 Polishing Compound is a water-based fusion abrasive for surfaces that easily remove defects, acid rain marks, etching. It can be used as a polishing base to quickly remove deep scratches and aged surfaces, leaving the surface shiny and new.

Item No: CP-PO-PO1



Instruction

1. Removes surface sanding marks from 1500+ grit and eliminates moderate scratches
2. Suitable for DA, RO and GA machines
3. Ensures your coating bonds properly and lasts its longest
4. Follow-up with No.2 polishing compound for perfect results



No.2 Polishing Compound- Fine Polishing

No. 2 Polishing Compound is a water-based hybrid restorer. Designed to quickly remove holograms and scratches from the surface. It delivers mirror-like extreme reflection with ease, making it ideal for final-stage polishing.

Item No: CP-PO-PO2



Instruction

1. Removes surface sanding marks from 2000+ grit and eliminates moderate scratches
2. Suitable for DA, RO and GA machines
3. Ensures your coating bonds properly and lasts its longest
4. Perfect follow up to No.1 polishing compound



03



COMMERCIAL PRODUCT



EXTERIOR

series





High Foam Wash

Its neutral pH surfactants effectively protect and preserve the car's surface while swiftly penetrating and removing common debris. It also provides UV protection and resistance to oxidation.

Instruction

1. After diluting the solution according to the suggested ratio, pour it into a PA foam cannon.
2. Spray it evenly across the car's surface.
3. Use a towel, sponge, or car wash mitt to gently wipe.
4. Thoroughly rinse with clean water.

Dilution Ratios

- Water Bucket: 1:100
- PA Foam Cannon: 1:5
- Hand-pressure sprayers: 1:50

Item No : CP-CW-Z17-20



Wash & Wax

This high-lubrication water wax reduces friction and prevents scratches during contact-based car washing. It features a fresh green apple aroma, pH-balanced surfactants for gentle cleaning, and a deep-penetrating formula to remove grime. Rich foam and wax ensure uniform waxing and enhanced gloss, while UV protection resists sun damage and oxidation. Ideal for daily use, it cleans, shines, and protects your vehicle.

Instruction

1. After diluting the solution according to the suggested ratio, pour it into a PA foam cannon.
2. Spray it evenly across the car's surface.
3. Use a towel, sponge, or car wash mitt to gently wipe.
4. Thoroughly rinse with clean water.

Dilution Ratios

- Water Bucket: 1:100
- PA Foam Cannon: 1:5
- Hand-pressure sprayers: 1:50

Item No : CP-CW-Z01-20



Pre-Wash

Pre-Wash is a highly concentrated pre-wash foaming agent that dissolves and removes large amounts of dirt in a completely non-contact manner prior to applying vehicle cleaner. Specially formulated to provide maximum wetting and easy rinsing, the 12pH alkylated cleansing ingredient can be left on the surface for up to 5 minutes. Rinsing reduces scratches during the cleaning process and efficiently removes large particles from the surface.

Instruction

1. Spray pre wash cleaner evenly over the area of sediment to be treated.
2. spraying may be done with a spray can or other suitable tool. Leave it on for 5 mins. Wash off with water.

Dilution Ratios

- Hand-pressure sprayers: 1:100
- PA Foam Cannon: 1:10

Item No : CP-CW-Z09-20



Instruction

1. Spray onto the surface of the stain or onto the detail brush
2. Brush the stain with a detail brush.
3. Use water to rinse the potion off.

Dilution Ratios

- Can be used directly in the original liquid.



Heavy Duty Clean

Concentrated cleaning formula that quickly removes dirt without damaging vehicle paint or plastic parts. This product is a new powerful multipurpose cleaner that can be used in cars, boats and homes. It works well for removing grease, surface stains, and tough stains. It effectively cleans a wide range of surfaces, including hand tools, tires, motors, carpets, and extremely filthy car surface.

Item No: CP-CW-Z03-20



Instruction

1. Pour the product into a hand pressure sprayer after diluting it 1:5.
2. Spray onto the surface of the stain or onto the detail brush
3. Brush the stain with a detail brush.
4. Use water to rinse the potion off.

Dilution Ratios

- This product should be diluted with water at a 1:5 ratio.



Engine Shampoo

Engine shampoo can be effectively cleaned of oil and dirt with this potent cleaner. It is perfect for mechanical engines, motorcycles, and cars because it emulsifies both light and heavy grease. It can be applied to a range of metal or plastic surfaces, air conditioning grills, engines, and engine parts, both new and old. Depending on the level of dirt, it must be diluted to 1:5.

Item No : CP-CW-Z02-20



B7 PRO High-Gloss Spray Coating

The product creates an antifouling and hydrophobic layer (lotus effect) on the surface, protecting it from ageing, dirt and UV radiation, as well as from water spot. A simple spraying and wiping operation ensures a shiny, long-lasting paint surface, while also greatly improving the hydrophobicity and stain resistance.

Item No: CP-CW-B7P-5



Instruction

1. After cleaning and drying the car, evenly apply B7 Pro on the surface.
2. Use a clean towel to wipe the surface evenly until it dry.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.

Apply on a dry surface.



C1 Clay Lubricant

Typically used with polishing clay (also known as paint cleaning clay or clay bar). Polishing clay effectively removes oxidation layers, tree sap, overspray, industrial contaminants, and more from the car's paint surface. During use, a lubricant is required to minimize friction between the clay and the paint surface, preventing scratches or damage to the finish.

Item No: CP-CW-C1-5



Instruction

1. Spray this agent on the surface of the car paint.
2. Use polishing clay for cleaning.
3. Wash off the stains after used.

Dilution Ratios

- Hand Pressure Sprayer: 1:5
- Spray Bottle: 1:5
- can be used directly in the original liquid, the effect is even better!



Instruction

1. Spray on and wait 30 seconds.
2. After dissolution, there will be a noticeable flow of purple liquid.
3. Rinse thoroughly to clean.

Dilution Ratios

- Hand pressure sprayer: 1:1 (or undiluted)
- Spray Bottle: 1:1 (or undiluted)



Iron Fallout Remover

A5 cleans deeper than washing or claying alone by forming a water-soluble complex with iron particles that are stuck to the surface and allowing them to be rinsed off. It can be applied to wheels, paint and plastic. The chromogenic agent provides real-time indication for complete removal of ferrous particulates.

Item No: CP-CW-Z06-5



Instruction

After completing the paint treatment, spray this product onto the car paint surface. Allow the oil stains to naturally emulsify, then wipe clean with a soft towel. For areas not suitable for direct spraying, spray onto the towel first and wipe the surface, then wash the towel thoroughly and wring dry. Finally, wipe the surface again with a damp towel.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



Surface Degreaser

The surface degreaser is an important pre-treatment for coating, polishing, and wrapping because it rapidly removes excess oil and wax from automotive surfaces. In addition to efficiently dissolving oil and impurities, its pH-neutral A13 formula serves as a conditioner for microfiber towels and restoring the softness of the fibers.

Item No: CP-CW-Z08-5



A7 Tar Remover

The water-based emulsified cleaning formula effectively removes asphalt, oil stains, and sticker residues from the car body. It reacts quickly with tar and asphalt, providing fast and efficient cleaning that saves time and effort.

Item No : CP-CW-A7-20



Instruction

1. Spray onto the areas with tar and asphalt residue, wait for 2-3 minutes to dissolve it.
2. After dissolution, black liquid may flow out.
3. Wipe clean with a clean towel, then rinse with water for final cleaning.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



A10 All Purpose Cleaner

This all purpose cleaner is better for a range of exterior uses. It provides a thorough clean without leaving any residue behind by swiftly dissolving tough grease and grime. Its pH-neutral formulation is safe for surfaces and works well on rubber, door seals, engines, and car exteriors. A10 provide more usage scenarios and a kinder cleaning formula compared with A3.

Item No : CP-CW-A10-5



Instruction

1. Spray onto the surface that needs cleaning.
2. Gently scrub with a detail brush for deep cleaning.
3. Use a clean towel to wipe off or rinse with water to remove residue.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



INTERIOR series



Multipurpose Interior Clean

This 5x concentrated, pH-neutral cleaner is gentle on surfaces and efficiently dissolves stains. Without causing any harm to upholstery or trim, it safely cleans leather, Alcantara, plastics, and fabric fibers. It also contributes to the air inside the automobile being freshened, creating a tidy and cozy atmosphere.

Item No: CP-CW-Z04-20



Instruction

1. Spray on the stained area and let it dissolve.
2. Scrub the interior with an interior soft brush.
3. Wipe clean with a cloth.

Dilution Ratios

- Hand pressure sprayer: 1:5
- Spray Bottle: 1:5
- Can be used directly in the original liquid, the effect is even better!



Dashboard Dressing

The dashboard dressing has a deep maintenance effect and good penetration, which improves its ability to waterproof, resist mildew, resist UV rays, prevent cracking, and slow down the ageing of leather components. Improves the gloss of dashboards and leather surfaces while offering anti-aging protection with the ability to clean lightly.

Item No: CP-CW-Z05-20



Instruction

1. Clean the car interior.
2. Apply the solution to a sponge and spread it evenly.
3. Wipe off any excess product with a towel to finish.

Dilution Ratios

- Spray Bottle: 1:3
- Can be used directly in the original liquid, the effect is even better!



WHEEL series





Mag Wheel Cleaner (Strong Alkali)

This product uses alkaline ingredients to remove stains from rims and tires. It removes dirt quickly and is self-cleaning to the tire surface. It is safe and fast and does not cause any damage to wheels or tires.

Do not use on clear coated, anodized, chrome plated, painted, plastic or any other type of coated surface.

Use only on alloy and magnesium surfaces.

- | | |
|------------------------|--|
| Instruction | <ol style="list-style-type: none"> 1. Spray onto surface and allow a few minutes to react. 2. Agitate with a brush and rinse thoroughly with water. 3. Repeat the process if necessary. |
| Dilution Ratios | <ul style="list-style-type: none"> • Hand pressure sprayer: 1:10 • Spray Bottle: 1:10 |

Item No : CP-CW-Z07-20



Wheel Cleaner (Strong Acid)

Wheel Cleaner is a powerful blend of acids and cleaners for removes rust, metal oxides, carbon oxides and many types of oil stains from alloy wheels. Safe and fast with no damage to wheels or tires. Wheel Cleaner gives your car an attractive look and exceptional shine.

- | | |
|------------------------|---|
| Instruction | <ol style="list-style-type: none"> 1. Evenly spray A4PRO onto the surface of the tire. 2. Use a tire brush to scrub the tire surface for a thorough clean. 3. Rinse off the dirt and residue with a pressure washer. |
| Dilution Ratios | <ul style="list-style-type: none"> • Hand pressure sprayer: 1:5 • Spray Bottle: 1:5 |

Item No : CP-CW-Z18-20



A4 PRO Enhanced Wheel Cleaner

This product features alkaline formula with exceptional cleaning power, quickly dissolving stubborn dirt, grease, and mud from tires, wheels, and rims. It effectively removes yellowing and restores the natural rubber shine of tires while leaving wheels looking like new. The 2-in-1 design eliminates the need for separate products—one bottle is all you need for comprehensive tire and wheel cleaning, delivering professional-grade deep-cleaning results. Additionally, this formula is safe for use all wheel and caliper surfaces, ensuring a thorough yet gentle clean without causing damage.

It can use on clear coated, anodized, chrome plated, painted, plastic or any other type of coated surface, alloy and magnesium surfaces.

- | | |
|------------------------|---|
| Instruction | <ol style="list-style-type: none"> 1. Evenly spray A4PRO onto the surface of the tire. 2. Use a tire brush to scrub the tire surface for a thorough clean. 3. Rinse off the dirt and residue with a pressure washer. |
| Dilution Ratios | <ul style="list-style-type: none"> • The product can be used straight away and doesn't need to be diluted. |

Item No : CP-CW-A4P-5



GLASS

series



A12 Water Spot Remover

Strong stains on car glass, painted surfaces, transparent coatings, tinted films, and other materials can be thoroughly cleaned with this solution's potent acidic mix. Restoring clean, smooth surfaces with just a water rinse makes it easier to use. It rapidly and efficiently removes water spots, stains, and streaks brought on by acid rain and sun exposure. Despite its cleaning ability, the mixture is safe to use and, properly followed, won't harm surfaces.

Item No : CP-CW-A12-5



Glass Cleaner

This solution contains a grease solvent and surfactants that help to quickly remove grease stains and other residues from glass. Improves glass cleaning performance, clarity, and driving visibility.

Item No : CP-CW-C2-20



Instruction

1. Before cleaning, apply the product onto a sponge, cloth, or detailing brush.
2. Rinse thoroughly with clean water immediately after cleaning (for stubborn stains, repeat cleaning).
3. Keep the glass surface moist before cleaning; do not dry wipe. Rinse thoroughly with clean water immediately after cleaning.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



Instruction

1. Spray the appropriate amount on the require area.
2. Use a clean glass towel to clean it.

Dilution Ratios

- This product is ready to use and does not require dilution.



PROTECT

Tyre Wax

This water-based tire coating wax is high in silicone resin and glycerin, has cooling and moisturizing properties and can delay aging and resist oxidation. It creates a non-greasy protective layer that lasts for up to 2 weeks by penetrating deeply into the rubber surface and giving it a glossy finish.



Item No : CP-CW-B8-5

Instructions

1. Clean and dry tires before using.
2. The agent should be squeezed onto the waxing sponge.
3. Make sure the tire surface is completely covered by applying the sponge evenly.
4. Just let it air dry naturally.

Dilution Ratios

- The product can be used straight away and doesn't need to be diluted.



ACCESSORY

Hand Pump



Easy and effective liquid extraction is the goal of this 20L extraction pump. It is easy to use and requires little effort because it is made with strong, sturdy materials that guarantee long-lasting effectiveness. Backflow is successfully stopped by the bottom glass bead design, guaranteeing even and seamless dispensing. Its ergonomic, non-slip handle makes it easy to operate with a comfortable grip. Made from premium, odorless materials, this pump ensures dependability and safety for a range of uses. It provides a straightforward, time-saving method for accurately and conveniently distributing liquids, making it perfect for both home and business use.

Drum Tap



Effortlessly control liquid flow with a simple twist, just like a faucet. This valve ensures precise dispensing without waste, leaks, or drips.

- Time-Saving & Efficient: Quick, smooth operation for instant release.
- Accurate Control: Prevents overuse, optimizing chemical consumption.
- Leak-Proof & Corrosion-Resistant: Durable material withstands harsh chemicals.
- Easy Installation: Simple setup for hassle-free use.



04

TOOLS





Double-Side Long Fibre Towel



Featuring 600g, 6mm twist technology, heavy duty construction and double sided wicking design for superior performance. The non-marking absorbent design significantly lowers water collection time.

Size: 60 x 80 cm

Material: Microfibre

Object: Large area of paint receiving water

Item No: CO-TO-M003GR

Glass Towel

Waffle Glass Cleaning Wipes are soft and streak-free, and it work well with glass cleaner to remove grime from glass surfaces. It's streak-free and provides a clear view for safer driving.

Size: 40 x 40 cm

Material: Fibres

Object: Glass drying, dashboard cleaning

Item No: CO-TO-M005GR





Wax Towel

This coral fleece wax removal towel is intended for polishing and wax collection. It works well for polishing hard-to-reach spots, eliminating wax residue, and polishing glass.

Size: 30 x 40 cm

Material: Coral Fleece

Object: Paint surface care, wax removal

Item No: CO-TO-M006Y



Drying Towel

As KLCB's all-purpose detail towel, it is suited for any wiping situation. The crimped edge design efficiently extends the towel's life.

Size: 40 x 40 cm

Material: Microfibre

Object: Multiple Use

Item No: CO-TO-M001GR



Clay Cloth

High-quality imported stain-removal clays are gentle, non-scratchy, and devoid of lint. Precision stitched edges provide both durability and grip. When used with a lubricant, it removes dirt, tar and iron particles, resulting in an instantaneously smooth surface.

Size: 30 x 33 cm

Material: Carbon Powder, Polymer Adhesive

Object: Dirt, tar and iron particles

Item No: CO-PO-P014GR



Towel

This dual-sided coral fleece edgeless towel features a high-pile front for superior water absorption and a low-pile back for interior cleaning and wax removal. Versatile and ultra-soft, it ensures a streak-free finish on various surfaces.

Size: 40 x 60 cm

Material: Coral Fleece

Object: Surface drying, interior cleaning, wax removal

Item No: CO-TO-M004BL/CO-TO-M004Y/CO-TO-M004GR



Long Fibre Towel

Superior performance with 300 grams, 6mm twist technology, heavy-duty construction and ultra-absorbent design. The non-marking suction design significantly reduces water collection time.

Size: 60 x 80 cm

Material: Microfibre

Object: Large area of paint receiving water

Item No: CO-TO-M002GR



Towel - Grey With Red Border

Compared to Long Fibre Towel, this towel is both effective at absorbing water and detail cleaning. Lighter and super soft, it is safe for all surfaces and ideal for fast, professional drying.

Size: 60 x 160 cm

Material: Fiber

Object: Large area of paint receiving water

Item No: CO-TO-M007GR





Construction Gloves

These nitrile gloves are puncture resistant, oil and water resistant, and have a comfortable fit.

Size: S, M, L, XL

Material: Nitrile

One box contains 100 pieces

Wheel Microfiber Gloves - 1 Pair

The KLCB Wheel Split Finger Detail Glove provides great dexterity for clearing the most difficult-to-reach spots.

Material: Microfibre



Wool Car Wash Glove

This glove are made of blended wool. It has excellent absorbency and will not damage surfaces. The single sided construction makes the gloves lighter and makes it easy to clean into some hard to reach areas.

Material: Imitation Wool

Car Wash Mitt

Thickened microfibre, can be dipped into a richer foam, more suitable for two buckets car wash. Double-sided design, fine and soft without damaging the paint.

Material: Microfibre



INTERIOR brushes



Leather & Fabric Brush

The coarse, dense bristles are designed to work on any interior surface.

Size: Length: 146mm, Bristle Length: 25mm
Object: Interior cleaning

Item No : CO-BR-S010



Wood Handle Brush

The bristles are coarse and dense and can be used on any interior surface. The smaller, more convenient design allows for detailed interior cleaning.

The extended wooden handle design allows it to be used as a wheel interior cleaning brush as well.

*Do not use in interior or exterior with the same one.

Length: Length: 326mm, Bristle Length: 20mm, Handle; Thickness: 8mm
Object: Deep cleaning

Item No : CO-BR-S003



Detailing Brush (3pcs)

Chemical-resistant brush heads are intended to be safe for use with a wide range of cleaners. The metal-free coating and high-quality mixed fibre bristle head are ideal for interior cleaning.

Object: automotive interiors, dashboards, air vents and precision cleaning tasks.

Item No : CO-BR-S001-3

EXTERIOR brushes

Retractable Long Handle Brush

Length:

- When retracted: 950mm
- When extended: 1650mm

Material:

0.1mm PBT Bristles

Advantages:

- The finely sharpened bristles are gentle and safe, ensuring no damage to surface.
- The telescopic rod and reinforced, thickened joints provide stability and protect the paint during washing

Item No : CO-BR-S008



Detailing Brush (5pcs)

This set of car detailing brushes is designed for deep cleaning car crevices, the bristles are acid and alkali resistant, soft and hard to shed. Available in a variety of sizes, you can choose according to the width of the crevice to meet a variety of cleaning needs. The black brush head is more suitable for exterior cleaning.

Length: 210mm/ 225mm/ 230mm/ 235mm/ 240mm
Brush Head Size: 20mm/ 25mm/ 30mm/ 35mm/ 40mm
Object: Body, interior, engine, wheel rims, and other crevices

Item No : CO-BR-S010



Wheel Tyre CLEANING brushes



Tree-Shaped Wheel Brush

- Cylindrical design ensures thorough cleaning without missing any spots
- Made of PE material, making the brush durable and resistant to breakage
- Anti-splash design on the handle enhances convenience during use.

Size: 45cm x 10cm
Material: PP + PE
Application: Cleaning wheel rims and other narrow gaps

Item No : CO-BR-S014



Detailing Brush (2pcs)

- Acid & Alkali-Resistant Handle – Made from high-quality PP plastic, resistant to corrosion, acids, and alkalis, ensuring durability and a comfortable grip.
- Dense & Extended Pure Boar Bristles – 100% pure boar hair, with no synthetic fibers, preventing curling and maintaining shape under high temperatures.
- Two Practical Sizes – Choose the right size based on gap width, making it ideal for various cleaning applications.

Material: 100% pure boar hair
Object: Fine detailing, e.g. engine crevices

Item No : CO-BR-S020



Wood Handle Brush

The bristles are coarse and dense and can be used on any interior surface. The smaller, more convenient design allows for detailed interior cleaning.

The extended wooden handle design allows it to be used as a wheel interior cleaning brush as well.

*Do not use in interior or exterior with the same one.

Length: Length: 326mm, Bristle Length: 20mm, Handle; Thickness: 8mm
Object: Deep cleaning

Item No : CO-BR-S003



- Bristles are very durable
- Suitable for mixing wheel cleaners
- Helps to transfer brake dust and dirt

Chemical Resistant Brush

Item No : CO-BR-S017



Made of plastic, rubber, and PBT fibre, this low resistance wheel brush is lightweight and long-lasting. The rubberised handle offers a pleasant grip that efficiently eliminates slippage and softens vibration, while the nylon bristle curved filament structure guarantees effective dirt removal. When washing, the wheels won't get scratched thanks to the anti-scratch bumper design. For convenient drying and storing, the brush body features a hanging hole.

Wheel Clean Brush (Grey)

Item No : CO-BR-S016G



- Thoroughly cleans, effectively removing stubborn dirt
- Bristles are securely attached, ensuring durability and preventing shedding
- Curved bristle design enhances cleaning efficiency and adapts to various surfaces

Size: 210 x 64 x 55mm
Material: Plastic + PP Curved Bristles

Tyre Clean Brush (Black)

Item No : CO-BR-S016B

TYRE WAX brushes



Multi-purpose Sponge with Handle

- High-strength sponge with a smooth, flat surface for efficient cleaning
- Firmly bonded to the plastic handle, preventing detachment
- Durable handle with excellent rigidity, providing reliable and convenient use

Size: Total length: 300mm; Sponge size: 140*90*30mm
Object: Tire dressing and multiple functions

Item No : CO-BR-S004



Tyre Applicator Brush

- Dry for dust removal, wet for tire waxing and leather care.
- Ergonomic Handle – Embossed design for a comfortable grip and easy operation.
- Comes with a compact storage box for organization.
- Soft bristles ensure smooth and uniform wax distribution, especially in fine grooves and textured surfaces.

Item No : CO-BR-S015



Tyre Wax Brush

- Detachable sponge for easy cleaning and replacement.
- Curved Design – Fits tire contours for smooth application.
- Anti-Slip Rubber Handle – Secure grip for effortless use.
- Quick & Efficient – Saves time and enhances application.

Material: PVC sponge + rubber handle

Item No : CO-BR-S019

ACCESSORY

Replacement Sponge



Item No : CO-BR-S019H

Coarse Polishing

A firmer, coarser sponge with high cutting power, capable of removing medium to deep scratches, 1500/2000# sandpaper marks, and heavy oxidation when used with coarse polishing compounds.



Medium/Fine Polishing

A softer sponge with low cutting power, ideal for addressing minor scratches and light oxidation on painted surfaces.



Finishing Pad

A fine, soft sponge with high density, specifically designed for restoring a mirror-like finish on painted surfaces.




Universal Polishing Pad

- Ensure the correct polishing machine and corresponding pad size are used.
- Avoid continuous use of a single pad for extended periods to prevent overheating and potential performance issues.

Material: Imported Polyester Sponge

Machine: RO, DA, and GA polishing machines



3 inch/ 5 inch/ 6 inch


Long Wool Polishing Pad

1. Made of premium wool and high-quality cushioning foam, offering excellent durability and elasticity.
2. Features a perforated backing design to effectively reduce heat buildup during polishing.
3. Provides efficient heat dissipation, allowing for the quick removal of imperfections on car paint surfaces.

- Before the first use, attach the pad to the machine and let it spin for at least 1 minute to remove loose fibers. Shedding during use is normal for wool products.
- Do not clean the wool pad with brushes or strong detergents, as this can accelerate wear.
- Wool pads are consumable items and wear out faster than foam pads. Over time, the wool will become thinner with regular use.

Material: Wool + Polyurethane + Velour

Machine: R0, DA, and GA polishing machines



Coarse Polishing

A firmer, coarser sponge with high cutting power, capable of removing medium to deep scratches, 1500/2000# sandpaper marks, and heavy oxidation when used with coarse polishing compounds.



Medium/Fine Polishing

A softer sponge with low cutting power, ideal for addressing minor scratches and light oxidation on painted surfaces.



Finishing Pad

A fine, soft sponge with high density, specifically designed for restoring a mirror-like finish on painted surfaces.



RO Buffing Pad

- Made from premium imported polyester sponge with a uniform and dense texture, delivering superior polishing performance.
- Offers excellent elasticity, strong toughness, heat resistance, and abrasion resistance for long-lasting use.
- The edge-trimmed design reduces tension on the paint surface, ensuring more even pressure distribution during polishing.

Material: Imported Sponge from the USA

Machine: RO polishing machine



Fiber Waxing Buffing Pad



1. High-density velour fabric resists shedding and ensures durability.
2. Thickened sponge core provides excellent cushioning, compression resistance, and elasticity.
3. Ultra-fine microfiber pile offers a soft touch and outstanding cleaning performance.

- Keep the waxing pad clean and avoid contact with sharp objects during use to prevent damage.
- After use, clean the pad thoroughly, air dry it, and store it properly. Do not expose it to direct sunlight.

Material: Fiber

Object: Wax Buffing

Machine: R0, DA, and GA polishing machines




Waxing Buffing Pad

1. Soft material to prevent scratching car paint
2. Backed with premium dense velcro fabric, featuring full and smooth fibers
3. Strong adhesive force ensures secure attachment to self-adhesive backing plates, preventing detachment during use

Material: Imported Sponge from the USA

Object: Car glazing and waxing



Hand Pressure Sprayer

Multi-functional nozzle configuration: This product is equipped with three types of nozzles, suitable for different cleaning needs:

1. Foam nozzle: generates rich and fine foam, suitable for large area cleaning.
2. Four-hole cleaning nozzle: strong water pressure, fast rinse dirt.
3. Single-hole spray nozzle: sprays evenly, suitable for detailed spraying.

Maximum Capacity: 2L

Maximum Working Pressure: 3 bar (43.5 psi)

Working Environment Temperature: 5 °C - 40 °C



Three types of nozzles meet various cleaning needs.

Adjustable suction hose direction for easy switching.

Item No : CO-SB-H006



Large-Mouth PA Foam Cannon (Black)

- Foam consistency adjustment: the top knob controls the foam consistency, easy to adjust the consistency of the agent.
- Adjustable spraying angle: the nozzle rotates to adjust the spraying angle according to your needs.
- Measuring Cup Design: Side measuring cup with clear scale, can accurately control the amount of agent to avoid waste.

MATERIAL

- Shell material: pvc plastic
- Bottle material: plastic
- Filter element: stainless steel wire mesh
- Interface: pure copper

Foam Consistency Adjustment

Adjustable Spraying Angle

Measuring Cup Design

Item No : EQ-WG-G005NZ



Large-Mouth PA Foam Cannon (White)

- Foam concentration adjustment: the top knob can freely adjust the foam concentration and control the consistency of the agent.
- Adjustable spraying angle: the nozzle rotates to adjust the spraying angle according to your needs.

MATERIAL

- Shell material: pvc plastic
- Bottle material: plastic
- Filter element: stainless steel wire mesh
- Interface: pure copper

Foam Consistency Adjustment

Spraying Mode Switching

Item No : EQ-WG-G005NW



ACCESSORY

K-Series Adapter





Spray Bottle

- Mist Spray: Excellent atomization and even spraying, suitable for large area cleaning.
- Water line spray: strong water pressure, long range, suitable for cleaning corners, crevices and stubborn stains.
- Product Capacity: 800ml

Spraying Mode Switching

Acid & Alkaline Resistance

Item No : CO-SB-H001GR

Wax Can

- Easy to control the amount of raw materials used, convenient and efficient operation.
- Back design label small box, convenient labeling of various abrasives, use more clear and orderly.
- Product Capacity: 400ml



Item No : CO-SB-H002
88

Measuring Cup

- Thickened Food-Grade PP – Safe, odorless, and non-toxic.
- Clear & Precise Scale – Easy-to-read measurements.
- Strong & Impact-Resistant – Pressure-resistant, shatterproof, and long-lasting.
- Ergonomic Handle – Stable grip for easy handling.
- V-Shaped Spout – Smooth pouring, no leaks.
- Reinforced Base – Durable and stable, suitable for hot and cold liquids.



Item No : CO-SB-H003

Water Bucket

Built-in Grit Separation Mesh – Prevents sand and debris from mixing into the water.

Efficient Sediment Control – Ensures cleaner water and improved washing efficiency.

Durable PP Material – Strong, long-lasting, and resistant to wear.

Transparent Design – Easily monitor water levels for better control.

Product Capacity: 20L



Item No : EQ-ACC-Q005

Accessory: Dirt Grit

Spray Gun

- The water spray is even and fine, and it can be controlled in different water flow modes.
- Powerful and delicate, taking into account practicality and aesthetics.
- Swivel to switch multiple spray modes.
- Rotating nozzles can use different water shapes according to different use environments.
- Heat resistance temperature: 80 degrees
- Withstand water pressure: 0.5mpa-0.75mpa

TWO JOINT MODES

- Quick Connector: Universal quick connection
- Silk Connection: Can be directly connected to the water drum and water pipe in the house

PRODUCT SIZE



Adjustable Water Flow

Versatile Nozzle

Quick Connector

Water column

Strong water pressure
Long range

Spray

High water pressure
Small fan angle

Shower

Low water pressure
Large fan angle

Small umbrella-shaped spray

Larger water pressure and longer range

Big umbrella splash

Wide spray range, uniform and fine water



Can quickly switch between liquid flushing and high-pressure blowing and air drying functions. When this switch is turned off, only the airflow blows out.

Interior Bearing Cleaning Gun

- Brand new metal handle with fine craft, sturdy and durable.
- The interior bearing cleaning gun, powered by air and integrated with a liquid jet, is ideal for cleaning the seams of automobile seats, steering wheels, dashboards, door panels, and other crevices.

Capacity: 1000ml

Material: Aluminum alloy + PE material

Air Blow Gun




This powerful air blower delivers strong, concentrated airflow for fast and effective dust and water removal.

- 3mm Precision Air Outlet: Ensures high-speed, focused airflow for deep cleaning.
- Adjustable Nozzles: Short and long options for versatile use in various settings.
- Durable Build: Made from engineering-grade plastic and aluminum alloy for longevity.
- Ergonomic Handle: Comfortable grip for effortless operation.
- Adjustable Air Volume: Customizable flow for different cleaning needs.

3-1 Dust Gun



Assessories

- Rubber hose of 3-1 dust gun 
- Flexible metal cover.
- Faster cleaning of every corner of the engine.
- The brush is moderately soft and hard.
- Cleans effectively and quickly.
- Not easy to deform and does not shed hair easily.
- Material: Engineering plastic + high-quality metal



Ceiling Cleaning Gun

- Ceiling cleaning gun mix chemicals and pressure air to quickly clean stubborn ceiling stains.
- Universal quick interface, suitable for 99.99% Shop standard caliber quick interfaces, not easy to rust and prevent air leakage.
- Ergonomic design, comfortable hand feel, flexible to use. It is not easy to get tired even after long periods of use.
- Air pressure: 6.5bar-11bar
- Material: aluminum alloy + special anti-rust material



Engine Cleaning Gun

- The 360-degree rotating nozzle and the flexible cleaning tube can better clean the dead corners of the engine.
- Flexible metal cover, faster cleaning every corner of the engine.
- The functions of liquid flushing and high-pressure water blowing and air drying can be quickly switched. When this switch is turned off, only the airflow blows out.
- General-purpose quick interface, suitable for 99.99% of shops, simple and outstanding.
- Air Pressure: 6.5bar-11bar







Air Snow Foam Gun

Newly painted metal handle is strong and long-lasting. The number of bubbles can be regulated by manipulating the switch; when the switch is closed, only the airflow is blown out. The large and tiny cannon heads can be used interchangeably, making it easier to deal with a wide range of scenarios.

This product is used in connection with air hose reel.



Coating Gun

Coating solution is sprayed swiftly and efficiently to coat vehicle parts and ceiling. The rubber hose is powered by high airflow to spray the solution swiftly and evenly. The product has an adjustable liquid output and a 300ml container design that allows for easy liquid capacity measurement.

This product is used in connection with air hose reel.



Undercarriage Cleaner

Undercarriage cleaner features a plug-and-play design and a roller construction for smooth operation. It is solid and resilient, made of stainless steel and an aluminum alloy, ensuring long-lasting performance. With four high-pressure nozzles, it can clean the car chassis efficiently over a vast area, increasing efficiency and saving time. With two universal pulleys at the bottom, it is flexible to move and easy to use.

This product is used with high pressure cleaning equipment.

Water Blaster Gun

Purpose: Washing cars, doors, windows, ground, etc.

Water Blaster Gun (Long)



Water Blaster Gun (Short)



Water Blaster Gun **PRO**





05

EQUIPMENTS



KLCB®

Combination Cabinet

DEMANDING PROFESSIONAL
STRIVE TO CREATE QUALITY

HIGH - END WASHING EQUIPMENT

INTEGRATED MODULAR HOSE REEL



MORE CONVENIENT COMBINATION

Compared with the old combo drum, this combo drum is designed in groups and is easier to install. It can be easily installed by only 2 people.




The upper and lower point-to-point buckle locks firmly and conveniently

NEW UPGRADE

MORE CONVENIENT

PROFESSIONAL CAR WASH AND BEAUTY COMBINATION DRUM CAN BE FREELY COMBINED

Satisfy the use of various tools in the auto beauty store




• END CAPS ON BOTH SIDES



END COVER SNAP DESIGN
EASY INSTALLATION



Hose Reel Combination Box - Wall Hanging



Hose Reel Combination Box - End Caps

KLCB®



High Pressure Water Hose Reel Unit



Working pressure: 150Bar
Bursting pressure: 450Bar
Water pipe specifications: 6*13mm*10M
Input tube: 1M
Output tube: 10M
Tube material: steel wire braided rubber tube

Air Hose Reel Unit



Working pressure: 12Bar
Burst pressure: 40Bar
Water pipe specification: 6.5*10mm*10M
Input tube: 1M
Output tube: 10M
Tube material: PU yarn clamping tube

Water Hose Reel Unit



Working pressure: 12Bar
Burst pressure: 40Bar
Water pipe specification: 6.5*10mm*10M
Input tube: 1M
Output tube: 10M
Tube material: polyether clamping tube

Power Cord Reel Unit



Wire specification: 2*1.5mm2*10M
Rated power: 1000W (not fully pulled out)
3200W (fully pulled out)
Input tube: 1M
Output tube: 10M
Line material: international rubber cable



Wall Mounted Water Blaster

This commercial high-pressure washer features a powerful four-stage motor and an all-copper pump head for superior corrosion resistance and heat dissipation. It comes with precision-engineered nozzles to tackle stubborn dirt and grime, while the durable, waterproof casing ensures reliable operation in various environments. Ideal for car dealerships, car wash businesses, and commercial cleaning.



SWITCH BUTTON/OVERHEAT PROTECTION

Powerful Four-Stage Motor

Durable and Waterproof Design

Effective High-Pressure Nozzles



Accessory: Water Tank

- Purpose: Provides a stable water source for high-pressure car washers, preventing impurities from entering and extending equipment lifespan.
- Material: High-quality engineering plastic, corrosion-resistant and impact-resistant.
- Size: 32cm x 20cm x 42cm
- Capacity: 20L

Purpose: Provide a constant water source for a car washing machine



DA-15 Polisher

- Equipped with a high-performance 1000W motor, ensuring strong power output and long service life. Dual-action orbital movement ensures even wax distribution, wider coverage, and prevents over-polishing.
 - Quick-change Velcro pad allows for a secure and reliable one-second swap.
 - LED speed control offers adjustable 2000-4500 RPM, maintaining constant power and speed under high load.
 - High-quality copper motor provides long lifespan, low noise operation, and full enclosure for durability.
-



DA-21 Polisher

- Equipped with a robust 900W motor, ensuring strong power output and long service life.
- 6-speed settings ranging from 1800 to 4800 RPM, suitable for various polishing needs.
- Delivers low noise operation and enhanced durability.
- Features a rubberized head grip and an additional handle mount for better control and comfort.
- Soft start function prevents polishing wax from splattering upon startup.

RO-5 Inch Polisher

- Equipped with a powerful 900W motor, ensuring strong power output and long service life.
 - M14 thread conversion allows for easy switching between different backing plates.
 - 6-speed adjustable control ranges from 900 to 3000 RPM, adapting to various polishing needs.
 - High cutting power ensures greater efficiency and superior results.
 - Low noise operation and enhanced durability provide a smooth and reliable polishing experience.
 - Ergonomic design with a rubberized grip and additional handle mount offers better control and comfort.
-



RO-6 Inch Polisher

- Equipped with a robust 900W motor, ensuring strong power output and long service life.
- 6-speed settings ranging from 900 to 3000 RPM, suitable for various polishing needs.
- Delivers low noise operation and enhanced durability.
- Features a rubberized head grip and an additional handle mount for better control and comfort.
- Soft start function prevents polishing wax from splattering upon startup.



Lithium battery detail polisher

- One hand sensitive operation: can complete various tasks with one hand.
- Five gear speed regulating switch: rotating speed 0~25000 turns to meet the needs of different scenarios, which can be controlled at will.
- Size: 218* 50 mm



One-Hand Sensitive Operation

Five-Gear Speed Regulation

Lithium Battery Mini Polishing Machine

- Quick-fit self-adhesive pads for easy and quick installation and seamless operation.
- Smooth polishing with minimal vibration ensures flawless polishing results and stable performance.
- 5-speed adjustable control to meet different polishing needs.
- Portable with carrying case for easy storage and transport.
- Size: 355mm * 42mm * 70mm.



Quick-Mount Self-Adhesive Pad
Smooth Polishing with Minimal Vibration

Three modes can be switched freely



Concentric Mode

The polishing pad rotates on a central axis, generating greater cutting force, especially at the outer edge. This mode also produces higher friction and heat.

3mm Orbital Mode

The polishing pad rotates with a 3mm offset, reducing friction and heat compared to the concentric mode. Ideal for mirror finishing and gloss enhancement.

12mm Orbital Mode

The polishing pad rotates with a 12mm offset, generating the least friction and heat among the three modes. Best suited for fine surface restoration and gloss enhancement.




Electric Waxing Machine – Wireless

- Analogue hand massage provides high-precision care with no damage to the paintwork, comparable to frequent manual cleaning.
- **6-speed changeable speed knob:** 2500-5000 rpm adjustable range, with 6 speed options to satisfy daily waxing requirements.
- Velcro tray: a fine adhesive tray that is both safe and sturdy, making it simple to attach and remove the wax collection tray.



Charging time: 5 hours





Carpet Shampooer

This Carpet Shampooer includes a 20L waste water bucket and a 5L fresh water bucket for effective stain removal, as well as high suction to assure a mould-free clean. It combines the three functions of spraying, dry suction, and wet suction with 1400W of high suction force, making it suitable for a wide range of cleaning tasks. The vacuum and water spray capabilities are controlled by two separate switches, allowing you to select different cleaning modes based on the stain.

Product accessories list description :

PRODUCT PARAMETERS



Instruction

1. Fill with water and cleaner: Depending on the stain's state, fill the bucket with fresh water and then add a particular cleaning. To avoid too much foam, make sure to add defoamer if you're using a cleaning solution.
2. Turn on the electromagnetic pump to control the water spray function and the motor switch to control the motor operation to start the apparatus.
3. Spray pumping cleaning involves selecting the right suction head and carefully cleaning the construction's soiled areas. For tough stains, spray washing can be done multiple times.
4. Clean up the sewage: To keep the machine in good working order, promptly empty the waste liquid from the sewage bucket when cleaning is finished.



Steam Machine

This steam machine delivers a thorough cleaning, effectively inhibiting the growth of bacteria and germs. High-temperature steam dissolves tough stains up to 110 °C, making dirt removal easy. It is appropriate for a variety of surfaces and cleaning types and comes with 5 brush heads to meet your cleaning demands.

Thermostat Action Temperature		Fuse Action Temperature
200°C		240°C
Steam Pressure	Steam Output	Tank Capacity
3.5 Bar	70 ml/min	2.0L



Caution:

1. Do not use non-neutral liquids.
2. Make sure the socket can withstand 1800W.

Water shortage indication,
three indicator lights to prompt
operation.

Water Shortage Indicator, Power Indicator, Work Indicator



KACB®



Ozone Steam Machine

Ozone steam machine is a car detailing gadget that uses high temperature, forceful steam, and ozone technology to sterilize, deodorize, and remove odors. It just takes 30 seconds to spray high temperature and high pressure steam, making it ideal for intensive cleaning in a range of situations.

||

Net Weight	Power Cord Length	Water Tank
9.5kg	3.5m	3.5L
Center Temperature	Cleaning Temperature	
110°C	80°C	



Kill Bacteria, and Eliminate Odors
High-Temperature and Powerful Steam

MULTIFUNCTIONAL ACCESSORIES



Scraper*2

Hot plate*1



Flat hard brush*1

Straight nozzle*1

Round hard brush*4

- Scraper** While Cleaning, it can wipe off the residual moisture on the surface after steaming;
- Hot Plate** Can iron all kinds of clothes and fabrics
- Flat Hard Brush** It can have a large area scrubbing function while spraying steam, and keep the steam high temperature disinfection function unchanged, and can clean the carot (Such as restaurants, hotels, etc);
- Straight Nozzle** Collect steam into one bundle, which can clean crevices and small items
- Round hard Brush** It can have a scrubbing function while spraying steam, and keep the steam high temperature disinfection function unchanged.

Removable
drain port



Dual-Motor Vacuum

This vacuum has a pure copper core motor that provides 2000W of dual motor suction strength for a powerful cleaning impact. The 70L big capacity design is paired with a multi-layer filtration technology to effectively remove dust and pollutants. Two adjustable suction power settings to satisfy a variety of cleaning needs, dumping design makes it simple to clear the trash, no need to disassemble, and easier to operate. 360-degree safety cooling system to ensure efficient and stable operation of the equipment, and built-in stop valve buoy; when the water level reaches a critical point, the buoy automatically floats up, blocking the motor air inlet, preventing motor damage and protecting the use of safety.



Motor power

Barrel capacity

2000W

70L

Core Functions

Power cord length

Operating Voltage

Vacuuming, suction
water dual-use

5M

200~240V

Product weight

Inspiratory flow

Package specification

20kg

106L/s

54*60*96CM



long flat beak



Round brushes



2.5m hose


Water washable
dust compartment



Wall-Mount Vacuum

This wet/dry wall mounted hoover has a powerful 1400W suction force that can be adjusted to meet your specific demands. It contains a 25L dust container, a removable filter cartridge, and a dual-layer filtration system. It has a high load capacity due to its pure copper core motor and vacuum quick suction technology, ensuring effective cleaning.

Size: height 49cm; width 35cm



9 M Pressure Pipe
Powerful Suction
Large Capacity: Dust collecting bucket 25L
Pure Copper Motor: Instant Vacuum Suction Technology





ns

OTHERS





Metal Pegboard

4 pcs

size: 900mm*20mm*450mm

Item No : EQ-SS-J008

Double Hook

4 pcs

Item No : EQ-SS-J008-4



Velcro Hook

4 pcs

Item No : EQ-SS-J008-8

Short Hook

4 pcs

Item No : EQ-SS-J008-2



Spray Bottle Hook

4 pcs

Item No : EQ-SS-J008-7

Open Clamp Hook

4 pcs

Item No : EQ-SS-J008-1







Tool Cart - Red

- The use of high-quality engineering grade plastic, solid materials, strong and durable, and strong bearing capacity.
- Metal is used for load bearing, which has high hardness and strong load-bearing capacity; the surface is smooth and the paint process is exquisite and delicate.
- Equipped with two hanging barrels with large capacity, a variety of commonly used tools can be placed at will, which can meet most needs.

Tool Cart Dimensions: 86 x 68 x 94 cm



Tool Cart - Black

- All four wheels are equipped with high-quality universal pulleys, which save effort and are easy to move.
- Each layer has an independent bottle slot, which can store bottled products such as watering cans, abrasives, wax cans, and can also store small objects in categories.
- The main body is made of high-quality engineering-grade plastics, which is light and tough, and has strong bearing capacity. The hanging plates on both sides are made of metal, which is firm and solid, and has a long service life.



Step Stool

- Imported thickened ABS material, strong bearing capacity, high and low temperature resistance, strong and durable.
- Each chair leg is equipped with a rubber anti-skid pad, which has outstanding anti-skid performance.
- The small square design on the back makes the ladder chair stronger and stronger.

Height: 605mm
Step Height: 305mm, 450mm
Total Length: 520mm
Upper Step Width: 300mm



Polisher Hanger

- Mist Spray: Excellent atomization and even spraying, suitable for large area cleaning.
- Water line spray: strong water pressure, long range, suitable for cleaning corners, crevices and stubborn stains.

Size: 20cm*60cm




Spray Bottle Holder

Pull-Off Lid

- Easy to control the amount of raw materials used, convenient and efficient operation.
- Back design label small box, convenient labeling of various abrasives, use more clear and orderly.

Size: 55cm*12cm





Tool Basket

- Using high-quality pp material, environmental protection and non-toxic.
- Small volume and large capacity.
- Comfort handle.

Size: 2900*370*120mm Half inside size: 335*95mm



Towel Rack

- Made of metal material, waterproof and moisture-proof, firm and durable.
- Orderly storage and easy access.
- Simplify complexity to improve efficiency.

Size: 580*70mm


KLCB

KLCB AUTO PARTS



Led Panel Light

Size: 2.4*4.8m (set), 8cm thick



Honeycomb LED High Bay Ligh

Size: 2.4*4.8m



Arrow LED High Bay Ligh



Flycolor 2 featuring the patented metamerism matching technology, make it possible to ultimately close to the all day light, which can easily identify different colors of coatings containing metal, pearl, pearlescent powder and glass pigments.

Inspection Worklights Set



- Floodlight: Super bright, High Ra and three CCT COB LED 160 lumens Ra: 96+ CCT: 2700K-4500K-6500K
- High quality 3.7V 1500mAh Li-Po battery
- Floodlight: 3h
- 3h charging time

Handheld Rechargeable Work Light



- Floodlight: Super bright, High Ra and multi CCT COB LED 500 / 1000 / 2000 lumens
- Ra: 96+ CCT: 2700K-3500K-4500K-5500K-6500K
- High quality 11.1V 5200mAh Li-ion battery
- 3h 30mins charging time

Scratches Inspection Worklight Lamp's Fixed Support Stand



- Floodlight: Super bright, High Ra and three
- CCT COB LED 250-500 lumens
- Ra: 96+ CCT: 2700K-4500K-6500K
- High quality 3.7V 2600mAh Li-ion battery
- Runtime: 2h 30mins (Auto system switch to low mode after 5 minutes use at high mode)
- 4h charging time
- IP65
- 1K07

Taken Sensor Headlights



- AC220V-50W (pcs)/(cold)

Led Flood Workshop Light 6000k




- AC220V-50W /(pcs)/(warm)

Led Flood Workshop Light 3000k




Dragon Scale Pattern Plastic Floor

- 40*40*2CM
- 40*40*3CM
- 40*40*4CM
- 50*50*5CM



2.0 diamond Pattern Plastic Floor

40*40*2.0CM



Groove Plastic Floor

40*40*3CM





E-mail: info@klcb.co.nz

All rights reserved by KLCB NZ.